

**Установка модуля отправки**  
**СМС с Opencart**

## Оглавление

1. Требование .....	3
2. Установка .....	3
3. Вкладка «Настройка шлюза».....	3
4. Вкладка «Выполнять при действиях» .....	4
5. Вкладка «Отправить СМС» .....	5
6. Ручное добавление кода .....	5

## 1. Требование

В начале работы в первую очередь нужно скачать модуль.

Для работы модуля необходимо, чтобы соответствовали указанные требования


- Версия PHP-интерпритатора не ниже 5.3
- Для автоматической активизирования отправки по событиям наличие предустановленного модуля [vqmod \(opencart версия\)](#), версии не ниже 2.3.2. Если данный модуль не установлен, описание участков кода, которые необходимо заменить, приведены ниже.

## 2. Установка

После скачивания у вас появится папка `alphasms_mod`. Скопируйте все, что она содержит в корень сайта. Установите модуль: Панель администратора > Модули > “AlphaSms.ua” установить. > Изменить.

## 3. Вкладка «Настройка шлюза»

Когда вы будете находиться в панели управления OpenCart, переместитесь во вкладку «Настройка шлюза». Здесь следует ввести личные данные, которые вы указали при регистрации на сайте `alphasms.ua`. Если вы еще не зарегистрированы, то это можно сделать на сайте `alphasms.ua`.




The screenshot shows the OpenCart Administration interface. At the top, there is a navigation bar with the text "OpenCart | ADMINISTRATION" and a user status "Вы вошли как admin". Below this is a menu with items: Обзор, Каталог, Дополнения, Продажи, Система, Отчеты, Помощь, Магазин, and Выход. The breadcrumb trail reads "Главная :: Модули :: AlphaSms.ua". The main content area is titled "AlphaSms.ua" and contains a form with the following elements:

- Buttons: Сохранить, Отменить
- Tabs: Настройки шлюза (selected), Выполнять при действиях, Отправить SMS, О модуле
- Section: Настройки шлюза
- Fields:
  - Логин \* (required): phone number
  - Пароль \* (required): masked with dots
  - API ключ \* (required): api key
- Text: Нет связи с SMS-шлюзом
- Instruction: Укажите правильные данные для подключения к шлюзу AlphaSms.ua через HTTP/HTTPS протокол.

#### 4. Вкладка «Выполнять при действиях»


В этой вкладке можно задать подпись, с которой будет приходить СМС рассылка. Подписью может стать, например, адрес вашего интернет-ресурса или название Вашей компании. Важно! Перед тем, как добавить текст нужно добавить подпись на сайт и утвердить у модератора. Так же необходимо указать телефон администратора на который будет отправляться СМС.



The screenshot shows the OpenCart administration interface for the AlphaSMS module. The top navigation bar includes 'Обзор', 'Каталог', 'Дополнения', 'Продажи', 'Система', 'Отчеты', 'Помощь', 'Магазин', and 'Выход'. The user is logged in as 'admin'. The breadcrumb trail is 'Главная :: Модули :: AlphaSms.ua'. The main content area has a header with the AlphaSMS logo and 'AlphaSms.ua' text, along with 'Сохранить' and 'Отменить' buttons. Below the header are four tabs: 'Настройки шлюза', 'Выполнять при действиях' (selected), 'Отправить SMS', and 'О модуле'. The 'Execute on actions' tab contains two columns of settings. The left column is for 'Подпись сообщений \*' (Message signature) with a text input field containing 'AlphaSms'. Below it is a section 'Сообщать по событиям администратора:' (Notify administrator events) with four checked checkboxes: 'Новый покупатель зарегистрирован', 'Осуществили новый заказ', 'Поступило новое письмо с контактной формы магазина', and 'Уведомлять на email при неудачном соединении со шлюзом'. The right column is for 'Телефон администратора \*' (Administrator phone) with a text input field containing 'xxxxxxxx' and a '+' icon. Below it is a section 'Сообщать по событиям покупателя:' (Notify customer events) with three checked checkboxes: 'Покупателю сообщение о новом заказе', 'Изменение статуса заказа', and 'Успешное завершение регистрации'.

## 5. Вкладка «Отправить СМС»

Используя функции этой вкладки можно проверить работоспособность модуля или отправить СМС. Сообщение, адресуемое любому пользователю, может содержать произвольный текст. Вместо номера отправителя СМС будет содержать название Вашего интернет магазина., ISO8601) дата присвоения финального статуса.



OpenCart | ADMINISTRATION Вы вошли как admin

Обзор | Каталог | Дополнения | Продажи | Система | Отчеты | Помощь Магазин | Выход

Главная :: Модули :: AlphaSms.ua

**AlphaSms.ua** Сохранить | Отменить

Настройки шлюза | **Выполнять при действиях** | **Отправить SMS** | О модуле

Настройки шлюза

Номер получателя \*

Текст сообщения \*

**Отправить SMS**

## 6. Ручное добавление кода

Если не установлен модуль vqmod версии не ниже 2.3.2., то необходимо добавить в файлы вашего сайта следующий код (код и расположение можно также увидеть в файле `alphasms_mod/vqmod/xml/alphasmst.xml`):

Файл `system/engine/controller.php`

Перед: `public function __construct($registry) {`

Код:

```
## AlphaSms.ua [BEGIN]
protected function alphasms_init(){
    # Load language
    $this->load->language('module/alphasms');
    $this->registry->set('alphasms_logger', new Log('alphasms.log'));
    if (((($this->config->get('alphasms_login') &&
    $this->config->get('alphasms_password'))||$this->config->get('alphasms_key')) &&
    file_exists(DIR_SYSTEM . 'library/alphasms_gateway.php'))){
    # Load AlphaSms library
    require_once(DIR_SYSTEM . 'library/alphasms_gateway.php');
    $gateway = new AlphaSmsGateway(
        $this->config->get('alphasms_login'),
        $this->config->get('alphasms_password'),
```



# ALPHASMS

[Info@alphasms.ua](mailto:Info@alphasms.ua)  
[www.AlphaSMS.ua](http://www.AlphaSMS.ua)

```
$this->config->get('alphasms_key')
);
# Set sign
$alphasms_sign = $this->config->get('alphasms_sign');
$gateway->setSign($alphasms_sign);
# Add to global registry
$this->registry->set('alphasms_gateway', $gateway);
return true;
}
}
## AlphaSms.ua [END]
```

## Файл **admin/model/sale/order.php**

Перед: public function getTotalOrderHistoriesByOrderId(\$order\_status\_id) {

Код:

```
## AlphaSms.ua [BEGIN]
public function getStatusNameForAlphaSms($order_status_id) {
    $query = $this->db->query("SELECT name FROM ".DB_PREFIX."order_status WHERE order_status_id = "
. (int)$order_status_id . " AND language_id = " . (int)$this->config->get('config_language_id') . " LIMIT 1");
    return $query->row['name'];
}
## AlphaSms.ua [END]
```

## Файл **catalog/controller/information/contact.php**

Перед: \$this->redirect(\$this->url->link('information/contact/success'));

Код:

```
## AlphaSms.ua [BEGIN]
if ($this->alphasms_init()==true && $this->config->get('alphasms_events_admin_new_email')) {
    $message = $this->language->get('alphasms_message_admin_new_email');
    $phones = array($this->config->get('alphasms_admphone'));
    if (strlen($this->config->get('alphasms_admphone1'))) $phones[] = $this->config-
>get('alphasms_admphone1');
    $this->alphasms_logger->write(['.substr(__FILE__, strlen(DIR_SYSTEM)-1).'] Event:
alphasms_events_admin_new_email. Dest phone:'
        .implode(', ', $phones)
        ." Message: ".$message
    );
    foreach($phones as $phone)
        $this->alphasms_gateway->sendSms($phone, $message);
}
## AlphaSms.ua [END]
```

## Файл **catalog/controller/account/quickregister.php**

Перед: \$this->redirect(\$this->url->link('account/success'));

Код:



## ALPHASMS

```
## AlphaSms.ua [BEGIN]
if ($this->alphasms_init()==true && $this->config->get('alphasms_events_admin_new_customer')) {
    $message = $this->language->get('alphasms_message_admin_new_customer');
    $phones = array($this->config->get('alphasms_admphone'));
    if (strlen($this->config->get('alphasms_admphone1'))) $phones[] = $this->config->get('alphasms_admphone1');
    $this->alphasms_logger->write(['.substr(__FILE__, strlen(DIR_SYSTEM)-1).'] Event:
alphasms_events_admin_new_customer. Dest phone:'
        .implode(', ', $phones)
        ." Message: ".$message
    );
    foreach($phones as $phone)
        $this->alphasms_gateway->sendSms($phone, $message);
}
## AlphaSms.ua [END]
```

### Файл `catalog/controller/account/register.php`

Перед: `$this->redirect($this->url->link('account/success'));`

Код:

```
## AlphaSms.ua [BEGIN]
if ($this->alphasms_init()==true && $this->config->get('alphasms_events_admin_new_customer')) {
    $message = $this->language->get('alphasms_message_admin_new_customer');
    $phones = array($this->config->get('alphasms_admphone'));
    if (strlen($this->config->get('alphasms_admphone1'))) $phones[] = $this->config->get('alphasms_admphone1');
    $this->alphasms_logger->write(['.substr(__FILE__, strlen(DIR_SYSTEM)-1).'] Event:
alphasms_events_admin_new_customer. Dest phone:'
        .implode(', ', $phones)
        ." Message: ".$message
    );
    foreach($phones as $phone)
        $this->alphasms_gateway->sendSms($phone, $message);
}
if ($this->alphasms_init()==true && $this->config->get('alphasms_events_customer_new_register')) {
    $message = sprintf(
        $this->language->get('alphasms_message_customer_new_register'),
        $this->config->get('config_name')
    );
    $this->alphasms_logger->write(['.substr(__FILE__, strlen(DIR_SYSTEM)-1).'] Event:
alphasms_events_customer_new_register. Dest phone: '
        . $this->request->post['telephone']
        ." Message: ".$message
    );
    $this->alphasms_gateway->sendSms($this->request->post['telephone'], $message);
}
## AlphaSms.ua [END]
```

### Файл `catalog/controller/checkout/register.php`

После: `$this->model_account_customer->addCustomer($this->request->post);`

Код:



# ALPHASMS

```
## AlphaSms.ua [BEGIN]
    if ($this->alphasms_init()==true && $this->config->get('alphasms_events_admin_new_customer')) {
        $message = $this->language->get('alphasms_message_admin_new_customer');
        $phones = array($this->config->get('alphasms_admphone'));
        if (strlen($this->config->get('alphasms_admphone1'))) $phones[] = $this->config-
>get('alphasms_admphone1');
        $this->alphasms_logger->write(['.substr(__FILE__, strlen(DIR_SYSTEM)-1).'] Event:
alphasms_events_admin_new_customer. Dest phone: '
            .implode(', ', $phones)
            ." Message: ".$message
        );
        foreach($phones as $phone)
            $this->alphasms_gateway->sendSms($phone, $message);
    }
    if ($this->alphasms_init()==true && $this->config->get('alphasms_events_customer_new_register')) {
        $message = sprintf(
            $this->language->get('alphasms_message_customer_new_register'),
            $this->config->get('config_name')
        );
        $this->alphasms_logger->write(['.substr(__FILE__, strlen(DIR_SYSTEM)-1).'] Event:
alphasms_events_admin_new_customer. Dest phone: '
            . $this->request->post['telephone']
            ." Message: ".$message
        );
        $this->alphasms_gateway->sendSms($this->request->post['telephone'], $message);
    }
## AlphaSms.ua [END]
```

## Файл `catalog/controller/checkout/simplecheckout.php`

После: `$this->session->data['order_id'] = $order_id;`

Код:

```
## AlphaSms.ua [BEGIN]
    if ($this->alphasms_init()==true && $this->config->get('alphasms_events_admin_new_order')) {
        $message = $this->language->get('alphasms_message_admin_new_order');
        $phones = array($this->config->get('alphasms_admphone'));
        if (strlen($this->config->get('alphasms_admphone1'))) $phones[] = $this->config-
>get('alphasms_admphone1');
        $this->alphasms_logger->write(['.substr(__FILE__, strlen(DIR_SYSTEM)-1).'] Event:
alphasms_events_admin_new_order. Dest phone: '
            .implode(', ', $phones)
            ." Message: ".$message
        );
        foreach($phones as $phone)
            $this->alphasms_gateway->sendSms($phone, $message);
    }
    if ($this->config->get('alphasms_events_customer_new_order')){
        $last_order = $this->model_checkout_order->getOrder($this->session->data['order_id']);
        $message = sprintf(
            $this->language->get('alphasms_message_customer_new_order'),
            $this->session->data['order_id']
        );
    }
```





## ALPHASMS

```
$this->alphasms_logger->write(['.substr(__FILE__, strlen(DIR_SYSTEM)-1).'] Event:
alphasms_events_customer_new_order. Dest phone:'.
    .last_order['telephone']
    ." Message: ".$message
);
$this->alphasms_gateway->sendSms($last_order['telephone'], $message);
}
## AlphaSms.ua [END]
```

### Файл **catalog/controller/checkout/success.php**

После: `if (isset($this->session->data['order_id'])) {`

Код:

```
## AlphaSms.ua [BEGIN]
if ($this->alphasms_init()==true && $this->config->get('alphasms_events_admin_new_order')) {
    $message = $this->language->get('alphasms_message_admin_new_order');
    $phones = array($this->config->get('alphasms_admphone'));
    if (strlen($this->config->get('alphasms_admphone1'))) $phones[] = $this->config-
>get('alphasms_admphone1');
    $this->alphasms_logger->write(['.substr(__FILE__, strlen(DIR_SYSTEM)-1).'] Event:
alphasms_events_admin_new_order. Dest phone:'.
        .implode(', ', $phones)
        ." Message: ".$message
    );
    foreach($phones as $phone)
        $this->alphasms_gateway->sendSms($phone, $message);
}
if ($this->config->get('alphasms_events_customer_new_order')){
    $this->load->model('checkout/order');
    $last_order = $this->model_checkout_order->getOrder($this->session->data['order_id']);
    $message = sprintf(
        $this->language->get('alphasms_message_customer_new_order'),
        $this->session->data['order_id']
    );
    $this->alphasms_logger->write(['.substr(__FILE__, strlen(DIR_SYSTEM)-1).'] Event:
alphasms_events_customer_new_order. Dest phone:'.
        .last_order['telephone']
        ." Message: ".$message
    );
    $this->alphasms_gateway->sendSms($last_order['telephone'], $message);
}
## AlphaSms.ua [END]
```

### Файл **admin/controller/sale/order.php**

Перед: `$this->model_sale_order->editOrder($this->request->get['order_id'], $this->request->post);`

Код:

```
## AlphaSms.ua [BEGIN]
if ($this->alphasms_init()==true && $this->config->get('alphasms_events_customer_new_order_status')) {
```



## ALPHASMS

```
$last_order = $this->model_sale_order->getOrder($this->request->get['order_id']);
if ($last_order['order_status_id'] != $this->request->post['order_status_id']) {
    $message = sprintf(
        $this->language->get('alphasms_message_customer_new_order_status'),
        $this->request->get['order_id'],
        $this->model_sale_order->getStatusNameForAlphaSms($this->request->post['order_status_id'])
    );
    $this->alphasms_logger->write(['.substr(__FILE__, strlen(DIR_SYSTEM)-1).'] Event:
alphasms_events_customer_new_order_status. Dest phone:'
        . $last_order['telephone']
        . " Message: ".$message
    );
    $this->alphasms_gateway->sendSms($last_order['telephone'], $message);
}
}
## AlphaSms.ua [END]
```

### Файл **admin/controller/sale/order.php**

Перед: `$this->model_sale_order->addOrderHistory($this->request->get['order_id'], $this->request->post);`

Код:

```
## AlphaSms.ua [BEGIN]
if ($this->alphasms_init()==true && $this->config->get('alphasms_events_customer_new_order_status') &&
$this->request->post['notify']){
    $last_order = $this->model_sale_order->getOrder($this->request->get['order_id']);
    if ($last_order['order_status_id'] != $this->request->post['order_status_id']) {
        $message = sprintf(
            $this->language->get('alphasms_message_customer_new_order_status'),
            $this->request->get['order_id'],
            $this->model_sale_order->getStatusNameForAlphaSms($this->request->post['order_status_id'])
        );
        $this->alphasms_logger->write(['.substr(__FILE__, strlen(DIR_SYSTEM)-1).'] Event:
alphasms_events_customer_new_order_status. Dest phone:'
            . $last_order['telephone']
            . " Message: ".$message
        );
        $this->alphasms_gateway->sendSms($last_order['telephone'], $message);
    }
}
## AlphaSms.ua [END]
```